




Visual Signals XENON

BEACONS



0.5" NPT Conduit Thread
2 x 0.2"Ø Drillout
Fixing Holes on 3.5" PCD

Industrial Xenon Beacons > X201SD-200S Series

Product overview

The X201/SD200S Series utilises a discharge capacitor and converter circuit to ignite xenon gas inside a tube, resulting with a flash of light. Xenon gas ignites virtually instantaneously so maximum brightness is obtained immediately.

Xenons have an added advantage of low current consumption combined with a reasonable life span. The X201SD/200S Series provides a 360 degree light output and are IP66 rated making them ideal for marine applications. The X201SD has a double flash as standard. Xenon beacons are one of the most efficient, effective and brightest visual signals available.

Features

- Continuously rated
- Suitable for surface mounting
- Ideal for areas of high vibration
- Very robust construction
- 360° visibility
- IP66

Material

- UV Stable Polycarbonate Lens
- Zinc Cast Metal Base

Code No:	Voltage:	Light Source:	Current:
X201-SD-12	12-48v Dc ---	Xenon 11.0J	1.50 A •
X200S-240	240v Ac ~	Xenon 11.0J	0.05 A

• At 24v Dc ---



Kg 0.92

50/60 **Hz**

°C -35+66

IP 66

FPM 60 Ac
120 Dc

MARINE

APPROVED AND CONFORMITIES



ADD THE FOLLOWING LENS CODES TO THE PRODUCT WHEN ORDERING

01 **02**

INDUSTRIAL